

FIG. 1




FIG. 2

1 Window SetContext, "Caption=NO TITLE-NOTEPAD","
MenuSelect "FILE (F) -> OPEN (O)..."
:
n Window SetContext, "Caption=OPEN",""
PushButton Click, "Text=CANCEL"

FIG. 3




FIG. 4A

MENU SELECTION, FILE (F) → OPEN (O)..., BUTTON, OPEN, CANCEL,...

FIG. 4B

```
.....  
do while MyArray(1)<>NULL  
    if MyArray(1)="MENU SELECTION"then  
        Menu(MyArray(1+1))  
    else  
        end if  
.....
```

FIG. 4C

```
Function Setf(b) <----- FUNCTION STARTS  
Window SetContext, "Caption="+b+"", ""  
End Function <----- FUNCTION ENDS  
  
Function CancelBut(a)  
PushButton Click, "Text="+a+""  
End Function
```

CONFIDENTIAL




FIG. 6




FIG. 7

TeomTest V1.0

BASE INFORMATIONCASE(PowerBuilder)CASE(WEB)WINDOWEXIT

CASE WRITER (WEB)

INQUIRYADDSTOREDELETEEND

CASE 1MENU BUTTON,BUTTON,INQUIRY INPUT,MENU BUTTON

Ver. 1.0SYSTEM NAME: uniERP2000--FIRSTUNIFIED CASE NAME: SALES PLAN MANAGEMENT

| NO | KEYWORD | NAME | FROM | TO | VALUE | INDEX |
|----|---------|-------------------|------|----|---------|-------|
| 1 | 00010 | OPERATE | 0 | 0 | | |
| 2 | 00020 | MOVE SCREEN | 0 | 0 | | |
| 3 | 00030 | INQUIRY INPUT | 1 | 2 | | |
| 4 | 00040 | MENU BUTTON | 0 | 0 | | |
| 5 | 00050 | BUTTON | 0 | 0 | CONFIRM | |
| 6 | 00060 | INPUT | 1 | 21 | | |
| 7 | 00070 | MENU BUTTON | 0 | 0 | | |
| 8 | 00080 | BUTTON | 0 | 0 | CONFIRM | |
| 9 | 00090 | INQUIRY INPUT | 1 | 2 | | |
| 10 | 00100 | MENU BUTTON | 0 | 0 | | |
| 11 | 00110 | CELL SELECTION | 248 | 35 | | |
| 12 | 00120 | PROCESSING BUTTON | 0 | 0 | | 1 |
| 13 | 00130 | BUTTON | 0 | 0 | YES | |
| 14 | 00140 | CELL SELECTION | 221 | 51 | | |
| 15 | 00150 | PROCESSING BUTTON | 0 | 0 | | 1 |
| 16 | 00160 | BUTTON | 0 | 0 | YES | |

<

>

FIG. 8




FIG. 9




FIG. 10A

FIG. 10B

| Sub | Main | Dim | Result | As |
|--------------------------------|---------------|------------------|---------------------|-------------|
| Integer |OMISSION | .. OMISSION..... | Window | SetContext, |
| "Caption=NOTEPAD INFORMATION", | "" | Window | CloseWin, | "" , |
| "" | Window | SetContext, | "Caption=NOTEPAD" , | "" |
| PushButton | Click | "Text=NO (N)" | | |

FIG. 10C

| | | | |
|-----|--------|---------|----|
| 100 | BUTTON | NOTEPAD | NO |
| | | | |
| | | | |
| | | | |

FIG. 10D

| | | | |
|-----|--------|---------------------|----|
| 100 | BUTTON | NOTEPAD | NO |
| 50 | CLOSE | NOTEPAD INFORMATION | |
| | | | |
| | | | |

FIG. 10E

| | | | |
|-----|--------|---------------------|----|
| 50 | CLOSE | NOTEPAD INFORMATION | |
| 100 | BUTTON | NOTEPAD | NO |
| | | | |
| | | | |

FIG. 11

